
8

## In the Drawings:


Please approve the proposed drawing revisions as highlighted in the sheets of drawings attached to this paper. The proposed revisions of the drawings correct a reference numeral and provide explanatory legends as required by the Examiner.



Fig. 1









FROM } Fig. 3 ,22 66 -77 (SELECTOR) 65 - 76 64 - 75 63 -74 62 - 73 \_61 72 POINTER )
















10EMALE	·								•		
TAGE 5- STAGE 0	T10									M E	
ISSUING STACE STACE COMPLETING STACE	19						AW		EW	Ш	
6 9 11	A 8 1					ΑW	X	ΕW	ш,	□ -	-
1 m m					AW	Ϋ́	AI	Ш	ӹ	Œ	
10	T6			W	¥	AI	œ	III		œ	
Eig.	T2		AW	¥	AI			- CC	- <del> </del>	Œ	
4 (F.16-1)	T 4	AW	¥	AI	 Œ		<del>\</del>		32 DEPENDENC CANCELLES	REPORTS	
RING STROE DE	T3	¥	AI.	~~							
STERING STA STA	T2	Ā	œ.	<b></b>					- <b></b>		
R=REGISTERING STACE 4 (FIG.1) AI = ISSUING STACE 6 (FIG.1) AX = EXECUTING STACE 6 (FIG.1) AX = EXECUTING STACE 7 (FIG.1)	HW - 12	Œ									
		ALU-7	ALU-5	ALU-3	ALU-4	ALU-6	ALU-8	MEM-1	MEM-2	MEM-3	



Fig. 11

21

	VALIPHY RELEASE								
		55	54	53					
		2	5						
DEINTER 56	52 ~~	0	0	IDLE					
	51 ~	1	0	ALU-8					
	50 ~~	1	1	ALU-7					
	49	1	1	ALU-6					
	48 ~~	1	0	MEM-3					
	47 ~~	1	1	ALU-5					
	46 ~~	1	0	MEM-2					
	45 ~~	1	1	ALU-4					
	44 ~~	1	1	MEM-1					
	43 ~~	1	1	ALU-3					
	42	1	1	ALU-2					
	41 ~	1	1	ALU-1					